

Exhibit C-35

Controlled Storage Inventory List 2

West Cabinet		
Description of Item	Shelf Location	Notes
FSV MVDS Crane Pendant	Bottom shelf (QL-3)	
Pump	Bottom shelf (QL-3)	
Spare tubing	Bottom shelf (QL-3)	
100 - small o-rings	4th shelf (QL-3)	0RAR00010-VC0B, 568-010, V75BR
100 - small o-rings	4th shelf (QL-3)	0RAR00010-V70GA
100 - small o-rings	4th shelf (QL-3)	0RAR00012-VC0B, 568-012, V75BR
TMI - Filter housing to leak test equipment swagelok connector	4th shelf (QL-3)	Leak Detection Equipment
HEPA hose assembly	4th shelf (QL-3)	Leak Detection Equipment
Clamps	4th shelf (QL-3)	Leak Detection Equipment
Miscellaneous spare parts	4th shelf (QL-3)	PO 702599 WQ 488347 - Leak Detection Equipment
Miscellaneous LTE parts	4th shelf (QL-3)	Green tag for gauges (gauges not in box)
Mechanical pump fluid (3 bottles)	3rd shelf (QL-3)	Includes MSDS
Valve assemblies (2)	3rd shelf (QL-3)	For DSC leak testing
Water hoses (2) (1 with HEPA)	3rd shelf (QL-3)	For DSC leak testing
2 - Calibrated Gas canisters for hydrogen sampling	2nd shelf (Consumer Grade)	Expired (for training use only)
Miniature nylon suction strainers (4)	2nd shelf (Consumer Grade)	McMaster Carr 9806K741
Snap tite plugs (3)	2nd shelf (Consumer Grade)	PO 705937 - 1 ea. Pt # 51019, 51007, 51005
Miscellaneous office supplies	Top shelf (Consumer Grade)	Yak Trax, shirts, ice scraper, etc.

Center Cabinet			
Description of Item	Shelf Location	QA Item # As Applicable	Notes
In-line Water Stop (for hydrogen sampling with iTX)	2nd shelf (QL-3)	13	
Gortex Filter for In-Line Water Stop	2nd shelf (QL-3)	14	
Purge Port Dust Cover	2nd shelf (QL-3)	25	
Sample Port Plug	2nd shelf (QL-3)	27	
Connector 1/8 Tube x 1/8 MNPT	2nd shelf (QL-3)	28	
Vent Port Dust Cover	2nd shelf (QL-3)	30	
HSM Door Lift Beam Bolts	2nd shelf (QL-3)	31	
Hardware for bottom closure plate	2nd shelf (QL-3)	34	
FSV MVDS Crane keys and disconnect lock keys	2nd shelf (QL-3)	35	
FSV MVDS Crane Seismic Safety Switch	2nd shelf (QL-3)	36	
4 in. Purge Housing Transportation Cover C-Seals EG&G Pressure Science Drawing #13557	3rd shelf (QL-1)	3	
DSC HEPA Filters (DOP Tested)	3rd shelf (QL-1)	11	NCR, expired gaskets
Screw Cap Socket Head 1-8unc-2Ax-2.0 long	3rd shelf (QL-1)	23	
Screw Cap Socket Head 1-8unc-2Ax-3.00 long	3rd shelf (QL-1)	24	
1" Nominal Lockwasher	3rd shelf (QL-1)	26	
91/4 in. Vent Housing Transportation Cover C-Seals EG&G Pressure Science Drawing #13566	4th shelf (QL-1)	2	
41/2 in. Purge Housing Transportation Cover C-Seals EG&G Pressure Science Drawing #13558	4th shelf (QL-1)	4	
Vent Port Sample/Transportation Cover	4th shelf (QL-1)	5	
Purge Port Sample/Transportation Cover	4th shelf (QL-1)	22	
71/2 in. Vent Housing Transportation Cover C-Seals EG&G Pressure Science Drawing #13565	Bottom shelf (QL-1)	1	
FSV Individual Fuel Element (IFE) grapple bayonet	Bottom shelf (QL-1)	37	
FSV IFE grapple upper metal shroud	Bottom shelf (QL-1)	38	
FSV IFE grapple lifting device	Bottom shelf (QL-1)	39	
FSV IFE grapple Amphenol connector	Bottom shelf (QL-1)	40	
DSC Purge Port Sample Cover (Aluminum)	Top shelf (QL-4)	20	
DSC Vent Port Sample Cover (Aluminum)	Top shelf (QL-4)	29	

East Cabinet			
Description of Item	Shelf Location	QA Item # As Applicable	Notes
TOPCON Auto Level	Top shelf (OOS - calibrate before use)		Cal ID - 715871
TOPCON Auto Level	Top shelf (OOS - calibrate before use)		Cal ID - 715872
250 in-lb Torque Wrench	Top shelf (OOS - calibrate before use)		Cal ID - 722217, for hydrogen sampling
Gauge	Top shelf (OOS - calibrate before use)		Cal ID - 722217 Aalborg Instruments Ser. No. 152189
250 psig Pressure Gauge	Top shelf (OOS - calibrate before use)		Cal ID - 718194 Bailey, Fischer & Porter, Model: 10A6130, Ser. No. 98W010538
Gauge Assembly	Top shelf (OOS - calibrate before use)		Cal IDs: 715969 (Victor 0-50 CF Flow Meter) and 715966 (US Gauge P601/4000P51 Pressure Gauge)
TOPCON Digital Theodolite	2nd shelf (OOS - calibrate before use)		Cal ID - 715873, Model: DT-104
2.5 Ashcroft Low Pressure Gauge	2nd shelf (OOS - calibrate before use)		Cal ID - 722422, QA 111155
2.5 Ashcroft Low Pressure Gauge	2nd shelf (OOS - calibrate before use)		Cal ID - 722421, QA 111155
2.5 Ashcroft Low Pressure Gauge	2nd shelf (OOS - calibrate before use)		Cal ID - 722423, QA 111155
2.5 Ashcroft Low Pressure Gauge	2nd shelf (OOS - calibrate before use)		Cal ID - 722424, QA 111155
MKS Series 901P Loadlock Transducer	2nd shelf (OOS - calibrate before use)		Cal ID - 723165, Labeled "Bad Repeatability"
Accu-flow calibrated leak test reference	2nd shelf (OOS - calibrate before use)		Cal ID - 723270
Accu-flow calibrated leak test reference	2nd shelf (OOS - calibrate before use)		Cal ID - 723272
VTI CAR-R-1P-103-A Capillary Leak	2nd shelf (OOS - calibrate before use)		Cal ID - 723271, A641, Bag appears to be empty and only contains tag and reference paperwork
VTI CAR-R-1P-103-A Capillary Leak	2nd shelf (OOS - calibrate before use)		Cal ID - 723269, Serial No. A639
Unidentified Swagelok fitting	2nd shelf (OOS - calibrate before use)		In same bag with Cal ID - 723269
Snapon 20-100 ft-lb torque wrench	2nd shelf (OOS - calibrate before use)		Cal ID - 720989
Snapon 20-100 ft-lb torque wrench	2nd shelf (OOS - calibrate before use)		Cal ID - 720988
Varian Vacuum Products Instrumentation	2nd shelf (OOS - calibrate before use)		Cal ID - 718263
Varian Vacuum Products Instrumentation	2nd shelf (OOS - calibrate before use)		No ID, but stored with Cal ID 718263, PO - 598572
Mitchell Infrared Thermometer	2nd shelf (OOS - calibrate before use)		Cal ID - 717396
Snapon 50-250 ft-lb torque wrench	2nd shelf (OOS - calibrate before use)		Cal ID - 720986
Snapon 50-250 ft-lb torque wrench	2nd shelf (OOS - calibrate before use)		Cal ID - 720987
Multi-gas monitor - Industrial Scientific	3rd shelf (OOS - calibrate before use)		Cal ID - 721293, For hydrogen sampling
Multi-gas monitor - Industrial Scientific	3rd shelf (OOS - calibrate before use)		Cal ID - 721294 - For hydrogen sampling
Vacuum Gauge Loadlock Transducer	3rd shelf (OOS - calibrate before use)		Cal ID - 727496, Pressure Transducer
Vacuum Gauge Readout	3rd shelf (OOS - calibrate before use)		Cal ID - 727495
Vacuum Gauge Loadlock Transducer	3rd shelf (OOS - calibrate before use)		Cal ID - 721970, Pressure Transducer
Vacuum Gauge Readout	3rd shelf (OOS - calibrate before use)		Cal ID - 724637
Gas Measurement Instrument (Hydrogen)	3rd shelf (OOS - calibrate before use)		Cal ID - 715970
Vaisala Portable Sampling System and Hand-held Dewpoint Meter	3rd shelf (OOS - calibrate before use)		Cal ID - 721540 Model DSS70A; Cal ID - 721524 Model DM70
3 Brass parts for Vent/Test Tool Assembly and bars	4th shelf (Consumer Grade)		For venting per TPR-7069
14 - 1/4" fnpt quick disconnect plugs	4th shelf (Consumer Grade)		Part # ML2-K16, Catalog 116180, PO #21597
1 3/4" x 1 3/16" Snap Tite Plug	4th shelf (Consumer Grade)		PO 707655
1/2" x 11/16" Snap Tite Plug	4th shelf (Consumer Grade)		PO 707655
6 - 1/4" x 3" Cotterless Clevis Pins	4th shelf (Consumer Grade)		Item 12-10
5 - 1/4" x 2" Cotterless Clevis Pins	4th shelf (Consumer Grade)		Item 12-08
QA green tags	4th shelf (Consumer Grade)		
Foam squares	4th shelf (Consumer Grade)		
51 - Vent Port Sample Cover O-rings Part 2-269	4th shelf (Consumer Grade)	19	PO 80052-00, Lot #0080063427, Part 2-269, Expires 9/2015
33 - Vent Port Sample Cover O-rings Part 2-275	4th shelf (Consumer Grade)	18	PO 80052-00, Lot #0080063427, Part 2-275, Expires 9/2015
12 - O-rings	4th shelf (Consumer Grade)		No bag
28 Sintered Metal HEPA filters	4th shelf (Consumer Grade)	12	"test referral", Hold for DOP Test
NRC signs mounted on metal plates	4th shelf (Consumer Grade)		Signs are outdated
50 pairs - Chemical resistant silver shield gloves	4th shelf (Consumer Grade)		
18 - 1/4" FnPt Quick Connect Sockets	Bottom shelf (Consumer Grade)		PO 21597, Cat. No. 116181, Hansen ML2-H16
6 - Master Locks	Bottom shelf (Consumer Grade)		Combination locks
Adhesive Technology Dispenser Gun	Bottom shelf (Consumer Grade)		
2 - 0.5" hex socket head cap screws	Bottom shelf (Consumer Grade)		
8 - 1" hex socket head cap screws	Bottom shelf (Consumer Grade)		
1.5 gallon wet/dry Shop Vac	Bottom shelf (Consumer Grade)		

125 Corner			
Description of Item	Shelf Location	QA Item # As Applicable	Notes
Vent Port Sample/Transportation Cover	Corner QL-1 area	5	There are 2 of these. The other item is located in the middle cabinet
Purge Port Sample/Transportation Cover	Corner QL-1 area	22	There are 2 of these. The other item is located in the middle cabinet
Vent Port Filter Housing	Corner QL-1 area	34	
Probe poles (2)	Corner QL-1 area		Markings include 99A3969 QL3, 510157-1, 362A0302P501, Job 2714-5284
Tripod for leveling devices	Corner Non-quality area	N/A	
FSV isolation valve manual opening tool	Corner Non-quality area	N/A	
Dummy DSC Manifold	Corner Non-quality area	N/A	10088 It #36
Dummy DSC Manifold	Corner Non-quality area	N/A	10088 It #35
Metal piping pieces (4)	Corner Non-quality area	N/A	
Metal NRC notification signs	Corner Non-quality area	N/A	These are outdated - could be disposed

INTEC		
Description of Item	Shelf Location	Notes
TD-TMI-904	Cargo Container #32 (QL-4)	DSC Filter Housing Removal Tool Assemblies, WO# 82909
TD-TMI-905	Cargo Container #32 (QL-4)	DSC Filter Housing Removal Tool Assemblies, WO# 82909
TD-TMI-906	Cargo Container #32 (QL-4)	DSC Filter Housing Removal Tool Assemblies, WO# 82909